




MAX. GROSS 32 500 KG
71 650 LBS
TARE 2 850 KG
6 280 LBS

MAX. GROSS 32 500 KG
71 650 LBS
TARE 2 850 KG
6 280 LBS

MAX. GROSS 32 500 KG
71 650 LBS
TARE 2 850 KG
6 280 LBS

MAX. PAYLOAD 29 650 KG
65 370 LBS



H.O.G

IMPORT • EXPORT • PROCUREMENT

CONTENTS

1. WATER TANKS
2. METAL ROOF SHEETING
3. IBR ROOF SHEETING
4. KEY MANAGEMENT LODGING & ACCESS CONTROL
5. CLAY & CONCRETE ROOF TILES
6. METAL TILES
7. PRE-CAST CONCRETE RESERVOIRS
8. STADIA SYSTEMS PRE-CAST BRIDGES BEAMS
9. DECKING
10. SHEET METAL RAINWATER GOODS
11. PVC CEILINGS
12. GENERATORS
13. GAS SOLAR AND ELECTRICAL GEYSERS
14. PV SOLAR SOLUTIONS
15. CLEARVU FENCING
16. DRYWALLING AND CEILINGS
17. FIRE DETECTION/CCTV/ACCESS CONTROL
18. INSTANT SPACE
19. TURNSTILES/BOOMS/BOLLARDS/SPEED GATES/SPIKES





ABOUT US

WHAT WE DO

We are a South African import export company (merchants in importing and exporting) with worldwide bulk and value-added products to the construction and interior design market.

Due to our international relations, we are in a very good position to assist customers looking for the right product at the right price.

- Construction
- Mining
- Irrigation
- Vehicles & Equipment
- Vehicle Spares
- Maintenance & Shutdowns
- Hardware & Tools
- Computer And Office Supplies
- Customised Products
- Interior Design Furnishings

WHO WE ARE

Professional international trading / merchant experience in dealing with big and small size import export company producers. Experience in sea and air freight exports.

An ability to adapt and customize all customers' requests to their needs. Our customers can request several products in small quantities in one shipment.

WHY US?

As your professional merchants, we always serve our customers to the best of our abilities.

Find and deliver the best product required and offer post purchase technical support and installation.

Please view below our summarised list of products, contact us for your custom order.

- Office Supplies & Stationary
- Catering Equipment
- Personal Protective Equipment (PPE)
- Hardware & Tools
- Allen keys
- Power tools

WATER TANKS

STEEL WATER TANKS

- The most cost-effective water tank storage solutions, without compromising in the important fields of safety, hygiene, quality and durability.
- Water Tanks are used in various sectors which includes mining, power generation, processing, manufacturing and public buildings such as office blocks, apartment blocks, shopping centres, hospitals and school.
- Water Tanks are designed to hygienically contain water for all uses, from industrial to home use.
- Can easily transport dry bulk such as gravel and industrial materials and offer a number of solutions.

RECTANGULAR WATER TANKS

Advantages of Rectangular Water Tank Storage systems:

- Rectangular Water Tanks can easily be Transported due to their modular design
- Rectangular Water Tanks can be installed using basic equipment
- Rectangular Water Tanks can store hygienic water
- Rectangular Water Tanks are unaffected by Ultra Violet Rays
- Rectangular Water Tanks are unaffected by Light Penetration
- Rectangular Water Tanks are easily transportable to remote locations
- Rectangular Water Tanks can be installed in restricted areas

Standard rectangular water tank storage:

- Internal bracing consisting of angle iron welded to base plates.
- Base plates bolted to tank panels

WATER TANKS (CONT.)

ELEVATED TANKS

Orders should request walkways around the base of the elevated water tank or rest platforms on access ladders if required.

Support Towers: Hot dip galvanising is recommended for optimum cost effectiveness

Elevated water tanks are commonly founded on reinforced concrete basis with stub columns cast into excavations, which are back filled after construction.

The determining loads




ROOFING (CONT.)

BULLNOSES AND CENTRE CRANKS

Bull nosing and centre-cranking of a profiled sheet incorporate lateral rib indentations pressed in at a uniform distance of 25mm. Standard bullnoses are made with narrow flute uppermost and the bend away from the angular inclination. Reverse bullnoses are made with the bend into the narrow flute. Bullnoses and cranks can be at the end of a sheet or at any position along the length. Bullnoses and centre cranks can be manufactured in radii ranging from 350mm to 800mm for bullnoses which are bent through 0 – 135°. High tensile material can only be bull nosed and cranked to a minimum radius of 450mm.

LARGER RADII WILL BE CLASSIFIED AS A FORWARD CRANK.

The maximum sheet length which can be bullnose is 15m, with a maximum height of 2m. The minimum run-out from the bullnose is 30mm on one side with a minimum of 500mm on the other side of the sheet. It is important to clearly identify the critical end of the bullnose in order to ensure that consistent lengths are supplied to the customer. The maximum height (after cranking) of centre and off-centre cranks which can be manufactured is 2m, with a limitation of 10m total sheet length, due to handling and transport limitations. (Height in this case is from ground level to highest point of bullnose sheet.)



INSTANT SPACE

COLD ROOMS/FREEZER ROOMS

Typically, these panels are 1185 mm wide with a thickness ranging from 40 mm to 300 mm. They are normally packed on pallets and can be unloaded in most situations using ordinary forklifts. In the manufacturing and installations of insulated panels to form cold rooms, freezer rooms, dry rooms, hot rooms, clean rooms and many more purposes.

Panels are manufactured to any length and consist of two pre-stressed skins permanently bonded to fire retardant polystyrene, polyurethane or rock-wool in a press by using an adhesive

CLASS ROOMS

Structures are constructed using a suspended steel chassis as a sub structure: (Heavy duty steel base frame suspended from adjustable jacks.)

Super Structures are constructed using insulated panels. Panels are manufactured to any length and various facing materials and finishes are available with frost white as a standard. Typically, these panels have a lifespan of 30 years before it need to be repainted. The benefits and advantages using our insulated panelling is that panels are prefabricated and accelerates the installation process by reducing time spent on the site. It is energy efficient and a fundamental element in our global fight against climate change. It also reduces electrical bills as air-conditioned rooms benefit from the insulation properties of the system. Insulated panels are much more sound proof (in comparison with ordinary construction / dry-walling) and provides a much stronger service to mount shelves, TV's, frames, etc.



ROOF TILES

CLAY TILES

Because no two properties are the same, can developed an extensive catalogue of tiles and ancillaries. From flowing curves to simple lines, our extensive range of profiles adds interest and personality to a building, complemented by a selection of ornamental ridges and finials. These are available in a choice of colours and patterns, and are accompanied by a variety of ridge, verge and eave support systems, along with insulation, breather membrane and guttering options which can aid installation and performance. The wide range of different finishes and detailed components gives designers the freedom to carefully craft each roof for a bespoke, high quality aesthetic.

RESERVOIRS AND BEAMS

PRE-CAST CONCRETE RESERVOIRS & STADIA SYSTEMS PRE-CAST BRIDGES BEAMS

Reservoir Systems

Reservoir roof system can be accelerated and programmed to specific site conditions. Start manufacturing the structure off-site while the main contractors complete the ground work and footings of the structure. Team then installs a column-fixing assembly onto the blinding and the contractors fix their reinforcing for the footing before it is cast. The columns are placed using a mobile crane and can immediately

SHEET METAL RAINWATER GOODS

materials. Choose from a wide range of flashings readily available for you.

DOWNPIPES

Complete your guttering project with our standard or custom made profiles. Downpipes are available in many different materials. Choose from a wide range of downpipes readily available for you.

GUTTERS

Choose from our range of gutters, or custom make a gutter

PVC CEILINGS

the room.

ACOUSTIC IMPROVEMENT

Acoustic qualities are fundamental to a professional context or in a room intended for relaxation.


The X-stretch Acoustic operates on three parameters to establish and regulate the sonic characteristics of a space: the density of perforation in the Stretch Ceiling

TRANSLUCENT CEILINGS

The capacity of X-stretch Stretch Ceilings to transmit light makes it possible to create remarkable atmospheres, either by using natural daylight, or by using other light sources where effects can be controlled, creating variation in intensity, variation in colours

VOXGEN SILENT GENERATORS

Canopy: Voxgen™ has been designed with ease of maintenance as the main consideration for the end user. The Hybrid canopy fabricated



GENERATORS

entirely in-house is constructed out of 1.6mm mild steel or 3CR12 stainless (coastal spec) and powder coated to ensure the best protection from the weather. All the panels are easily removed to allow access to any part of the unit for maintenance.


Fuel Tank: The base integrated fuel tank is constructed from 3 – 5mm mild steel or 3CR12 (coastal spec) and is fitted with an easily removable inspection cover for maintenance checking and cleaning. The tank is also equipped with VDO fuel level sender unit which can be integrated with all makes of Genset controllers for accurate fuel monitoring. A lockable drain tape is fitted to the base of the tank for fuel drainage and the entire lid of the tank is pitched to a

GEYSERS

hot water at the point-of-use in your bathroom, kitchen, laundry or office kitchen. They can be used where the sink or basin is far away from the main water heater and takes too long to receive hot water.

Compact in size with a modern design, Heat Tech Compact point-of-use Electric Water Heaters can be installed under a sink or just above it, supplying hot water where it is readily required.

Thanks to its high-density and thick polyurethane insulation, water is kept hot for a longer period of time, while the copper heating element offers better protection to water corrosion, and a 4-bolt flange guarantees robust



GEYSERS (CONT.)

In 2019, Heat Tech rebranded to Ariston Thermo South Africa in line with Ariston's global strategy.

While moving the brand Heat Tech to Ariston there will be many additional benefits and strengths, the current Heat Tech products in the market will be fully supported as usual with nothing changing in terms of warranty or support. The peace of mind performance of Heat Tech will still be there, only now it will be augmented by the expertise of Ariston.

Quality & durability

DRYWALLING AND CEILINGS

to all the services that make an interior space function practically including lighting and air-conditioning and if required optimising acoustics as well.

FLUSH PLASTERED CEILINGS

Flush Plaster Ceilings or Fixed Ceilings are popular for Residential and Commercial Ceiling applications. JUMBO plasterboard (also known as Gypsum Board) is fixed to either a Flush-Plastered Grid system or JUMBO Steel Brandering. The JUMBO plasterboards are covered using either JUMBO Jointing Plaster (for a tape and join ceiling) or JUMBO Skimming Plaster (for a fully skimmed ceiling).

The Flush Plaster Ceiling can be finished with a decorative cornice or designer ceiling trims to create clean lines, subtle curves, shadows, and different levels and features.


An extremely versatile ceiling application where your architect can make full use of the ceiling as a design feature.

PVC CEILINGS

A ceiling system made of interlocking PVC panels that is quick and easy to install and has a number of great benefits when compared

to traditional gypsum ceilings. A range of accessories compliment the panels and allow for edging, corners and finishing.

The two most popular colours for the ceiling panels are White Gloss and White Matt and these are available in



HOME SECURITY

access control system.

- SSL Encrypted communication
- Redundant power supplies
- Redundant Ethernet interfaces using STP (IEEE 802.1d)
- Up to 500 devices per LPU
- Multiple LPUs for redundancy and complex interactions
- Lithium-Polymer Battery backup
- Acts as a DHCP server for attached devices

IP Card Reader (RDR)

The IP card reader is a TCP/IP reader that supports various card

HOME SECURITY (CONT.)

advanced design, the S2000 series is completely scalable to all actual and future customer needs. All modules are perfectly integrated in one system. This offers unique advantages such as direct interactions between all applications.

M2000 Controller

The M2000 is an intelligent, modular controller that supports the following features:

- Native IP connection
- Embedded PC module
- Compact flash data storage
- Alarms controlled via boolean programming
- Direct interaction with other modules
- Power supply with battery backup
- Modular design with
 - up to 16 readers or
 - up to 256 inputs or
 - up to 64 outputs
- Supports Wiegand reader interface
- Applications:
 - Access control
 - Visitor control
 - Intrusion detection
 - Guard tour control
 - Presence control
 - Parking control

Multifunction Micropanel (MP2000)

The MP2000 is a multifunction control panel that allows an authorised user to monitor and control the electronic security system. The MP2000 supports the following features:

- Touch screen panel
- Random keypad
- Integrated reader

HOME SECURITY (CONT.)

redundant ring network and communicate over IP. The fire detection panel supports the following features:

- IP based Addressable Fire Detection panel and control panel
- 4 loop fire alarm panel
- Up to 127 detectors, call points or field devices and 127 base sounders per loop
- Interconnection of up to 32 panels and 32 CIE operating as a single networked system
- Full redundant communication loop for fire panels and CIE
- Support for Hochiki ESP protocol
- Range of detectors for hazardous areas

Control and Indicating Equipment (CIE)

The CIE is a control panel for the fire detection system with the following advantages

- Control panel with large versatile touch screen display and system status LEDs
- Control panel divorced from fire panel
- Optional printer fully integrated in the control panel

Enhanced System Protocol

- Digital serial communication with immunity to noise
- Built in Interrupt capability for fast response to call point operation and fire alarm sensors
- High resolution analogue readings
- Low Power Mode reduces loop standby currents when operating on batteries
- Supports multi I/O devices allowing up to 8 digital inputs and outputs per address
- Built in functions to help find and protect

HOME SECURITY (CONT.)

Smoke detector exceeds the combination of both the typical optical and ionisation smoke detectors.

Video and Audio Monitoring and Recording (HYDRA)

The Analogue CCTV system utilises coaxial or fiber-optic cables to connect the cameras to the Digital Video Recorder and the video matrix.

Our DVR supports the following features:

- Embedded Linux operating

KEY MANAGEMENT

access control solutions. Access control is the ideal way of overcoming the challenges posed by a high turnover of people entering or exiting any facility

CABINET AND CUPBOARD LOCKS

We offer a wide selection of products suitable for applications within industries such as gaming, vending, retail and leisure. Products including cam and furniture locks, locker locks, switch locks, vending, T-handle and combination locks.

UTILITY LOCKS

PRODUCT CATALOGUE (CONT.)

Finish Epoxy coated

Size 20 x 750

Qty per pack 6

Finish Epoxy coated

Size 20 X 900

Qty per pack 6

Hacking knives

Hacking knives are forged from finest quality carbon tool steel. Hacking knives are used for cutting open old drums and slitting sheet metal. Also used for the removal of old putty from window frames.

Hacking Knife - PVC Grip

Finish Epoxy coated

Qty per pack 10

Hacking Knife - PVC Grip (Pouched)

Finish Epoxy coated

Qty per pack 10

Tyre Lever

Tyre levers are manufactured from the finest quality spring steel and have forged working ends which are ground to provide maximum working efficiency. Tyre levers are used in the motor industry for lifting tyres off wheel rims.

Finish All steel

Size 20 x 550

Qty per pack 10

Stampers

Description 22mm x 1400mm round bar handle

Finish Painted

Size 160mm

Qty per pack 1

Description 22mm x 1400mm round bar handle

Finish Painted

Size 150mm

PRODUCT CATALOGUE (CONT.)

Description 450mm Butcher Bowsaw Blade length 450mm Qty per pack 10	Description 550mm Butcher Bowsaw Blade length 550mm Qty per pack 10
Butcher Bowsaw Blades A blade specifically designed for cutting meat carcasses.	
Description 450mm x 20 mm, 9 Point Butcher Blades Blade length 450mm Qty per pack 10 Qty per box 100	
Description 550mm x 20 mm, 9 Point Butcher Blades Blade length 550mm Qty per pack 10 Qty per box 100	
Description Butcher Blade 635x 20PTS WITH PINS Qty per pack 50	
Biltong Blade Hardened and ground blade designed for biltong machine cutting. Description Biltong blade Blade length - Qty per pack 10	
CANE KNIVES Broad range of cane and bush cutting knives to suit all applications in agricultural and service industries. Manufactured from carbon steel, hardened, tempered, ground cutting edges and black etch coat finished. Durable polypropylene handle moulded directly onto blade, or short wooden handles securely riveted to the blade. Left handed knives and special bends available on request, subject to minimum runs.	
Plain Cane Knives short handles 300 Description 300 Straight blade wooden handle Blade Thickness 2.0 Blade Length 355 Qty per pack 10	

Description 300 Straight blade poly handle Blade Thickness 2.0 Blade Length 370 Qty per pack 10	Cane Knife T-shaped 300T Description 300T Poly handle, right handed Blade Thickness 2.0 Blade Length 440 Qty per pack 25
	Cane Knives Hooked Blade 300H Description 300H wooden handle Blade Thickness 2.0 Blade Length 355 Qty per pack 10
Description 300H poly handle Blade Thickness 2.0 Blade Length 370 Qty per pack 10	
Cane Knife Curved Blade 300C Description 300C wooden handle, right handed Blade Thickness 2.0 Blade Length 355 Qty per pack 10	
Description Poly Handle (303 ph) Qty per pack 10	
Cane Knives Straight Blade 3000 Description 3000 Straight blade, wooden handle Blade Thickness 2.0 Blade Length 290 Qty per pack 20	
Description 3000 Straight blade, poly handle Blade Thickness 2.0 Blade Length 290 Qty per pack 20	
Curved Blade Lebombo Description 3000 Lebombo Curved blade, wooden handle, righthanded Blade Thickness 2.0 Blade Length 290 Qty per pack 15	

Description 3000 Leb

PRODUCT CATALOGUE (CONT.)

Description Chisel Round Nose 6mm x 12mm x 150mm (Pouched)
Qty per pack 10

Description Chisel Round Nose 10mm x 20mm x200mm
Qty per pack 10

Description Chisel Round Nose 10mm x 20mm x200mm (Pouched)
Qty per pack 10

Flat Cold Chisels

PRODUCT CATALOGUE (CONT.)

Firebreak Drag Head

Manufactured from carbon steel and heat treated for durability, used to clear brush etc., in firebreaks.
Description 4 prong
Blade width 200
Handle length -
Qty per pack 5

3 Prong Hay Fork (Steel Shaft)

Facilitates easy handling of hay, baled or unbaled. Finish Green painted head, epoxy powder coated handle
Description Steel shaft
Blade width 200
Handle length 1750

4 Prong Hay Fork (Steel Shaft)

Suitable for handling chopped and coarse hay. Finish Green painted head, epoxy powder coated handle
Description Steel shaft
Blade width 180
Handle length 1750
Qty per pack 5

Fork 3 Prong Hay (Wood Shaft)

Finish Green Painted Head, Unfinished Handle
Description Wooden shaft
Qty per pack 5

Fork 4 Prong Hay (Wood Shaft)

Finish Epoxy Powder

PRODUCT CATALOGUE (CONT.)

Hacksaw Blade Pre-Pack

Hacksaw blades are also available in handy attractive PVC two and three sleeved blades, which are ideal for direct merchandising.
Description High carbon (Econoflex) 18 TPI, 2 blades per sleeve
Qty per pack 10 sleeves (20 blades)

Description High carbon (Econoflex) 24 TPI, 2 blades per sleeve
Qty per pack 10 sleeves (20 blades)

Description HSS Flex (Lasherpro) 18 TPI, 2 blades per sleeve
Qty per pack 10 sleeves (20 blades)

Description HSS Flex (Lasherpro) 24 TPI, 2 blades per sleeve
Qty per pack 10 sleeves (20 blades)
Description HSS Flex (Lasherpro) 32 TPI, 2 blades per sleeve
Qty per pack 10 sleeves (20 blades)

Hacksaw High Carbon 32tpi

Description Hacksaw High Carbon 32tpi 2 Pack Black
Qty per pack 10 Sleeves (20 Blades)

High Carbon Plumbers Blade

Description Hacksaw High Carbon Double Edge 24 TPI
Qty per pack 25

Description Hacksaw Bimetal 18tpi 2 Pack Orange
Qty per pack 100

Hacksaw Bimetal

Description Hacksaw Bimetal 24tpi 2 Pack Orange
Qty per pack 100

Description Bimetal 32tpi
2 Pack Orange
Qty per pack 100

Description HSS FLEX
18/24/ 32tpi 3 Pack Yellow
Qty per pack 100

Description Hacksaw Bimetal 18/24/ 32tpi 3 Pack Orange
Qty per pack 100

HAMMERS

Claw Hammers (Wood shaft)

Head mass 500g
Total length 340mm
Qty per pack 10

Head mass 600g
Total length 345mm
Qty per pack 10</

PRODUCT CATALOGUE (CONT.)

tile and concrete blocks.
Head mass 800g
Total length 265mm
Qty per pack 10

Hammer Scutch + Comb (Wooden handle)

Scutch hammers are intended for the same purpose as brick hammers, but can take replaceable inserts in the form of combs or chisel bits.
Head mass 800g
Total length 265mm
Qty per pack 10

Hammer Scutch

(Suregrip handle) Loose bits and combs are available. Designed for setting (splitting) bricks, tile and concrete blocks. Includes 1 scutch comb.
Head mass 800g
Total length 285mm
Qty per pack 10

Brick Combs and Wedges

Description Brick comb set (4 per pouch)
Total length 22mm
Qty per pack 10

Description Wedges no. 1
Total length 12mm
Qty per pack 50
Description Wedges no. 2
Total length 18mm
Qty per pack 50

PRODUCT CATALOGUE (CONT.)

No. 899 Craftsman handsaw (poly handle)

A superior quality handsaw with a straight back. Universal toothting with precision bevel sharpening. Shock resistant. Polypropylene handle moulded directly onto blade.

Description 899 Handsaw 500mm x 11 points, panel
Pitch 2.50
Qty per pack 10

Description 899 Handsaw 550mm x 11 points, panel
Pitch 2.50
Qty per pack 10

Description 899 Handsaw 600mm x 8 points, crosscut
Pitch 3.50
Qty per pack 10

Description 899 Handsaw 650mm x 7 points, crosscut
Pitch 4.25
Qty per pack 10

Description 899 Handsaw 650mm x 5 points, rip
Pitch 6.50
Qty per pack 10

Supersaw (poly handle)

A superior quality handsaw with a straight back. Universal toothting. Shock resistant. Polypropylene handle moulded directly onto blade.

Description Supersaw 500mm x 1

PRODUCT CATALOGUE (CONT.)

Male Plastic Connector

Description 19mm male plastic connector
Qty per pack 24

Tap Adaptors

Description 12mm tap adaptor
Qty per pack 24

Description 19mm tap adaptor
Qty per pack 24

Description 25mm tap adaptor
Qty per pack 24

Description Soft touch 12mm/19mm tap adaptor
Qty per pack 24

Hose Connector Sets

Description Hose connector Set 3 Piece 12mm
Qty per pack 12

Description Hose connector Set 3 Piece 19mm
Qty per pack 10

Starter Hose Sets

Description 5pcs ABS set for 12mm hose
Qty per pack 12

PRODUCT CATALOGUE (CONT.)

- Description Industrial (Heavy Duty) -
Double sided
Stand height 2100 mm

Bar stand
Height 650mm
Width 450mm x 450mm

Trowel Stand
Height 2100mm
Width 940mm x 450mm

Pegboard Stand
Height 2100mm
Width 940mm x 450mm

Trowel Stand without Baskets
Height 2100mm
Width 940mm x 450mm

Chisel and Bolster Stand
Height 200mm
Width 450mm x

PRODUCT CATALOGUE (CONT.)

DIY - Jointers Stand

Jointer stand specs 2m100 (h)x935mmx500mm
Jointer stand
Height includes the header and base

DIY - Rakes & Sledge Stand Rakes & Sledge

stand specs 2m100 (h)x935mmx500mm
Height includes the header and base

DIY - Trowels Stand

Trowel stand specs 2m100 (h)x935mmx500mm
Trowel stand
Height includes the header and base

Garden - Axes & Knives Stand Axes & Knives

stand specs 2m100 (h)x935mmx500mm
Height includes the header and base

PICKS & MATTOCKS

Picks

Description

PRODUCT CATALOGUE (CONT.)

Description Road rake 24 tooth - Head only
Length (mm) -
Qty per pack 5

De-Luxe Garden Rake

Description Rake 14 tooth garden
Length (mm) 1200
Qty per pack 10

Description Rake 16 tooth garden
Length (mm) 1200
Qty per pack 10

Description Rake, 14 tooth Heavy duty - All steel
Length (mm) 1300
Qty per pack 10

Description Rake, 14 tooth - Wood shaft Length (mm) 1200
Qty per pack 10

Description Rake, 16 tooth Heavy duty - All steel
Length (mm) 1300
Qty per pack 10

SCRAPERS

Durable polypropylene handle moulded directly onto blades. Used for scraping off old paint prior to new paint being applied. “A painter’s preparation tool”.

Paint Scrapers

Description 35mm,

PRODUCT CATALOGUE (CONT.)

Description Brick Trowel, 300mm, Poly handle
Qty per pack 10

Gauging trowels

Carbon steel blade hardened and tempered with polished finish.

Description Gauging Trowel, 150mm, Wooden handle
Qty per pack 10

Description Gauging Trowel, 175mm, Wooden handle
Qty per pack 10

Description Gauging Trowel, 200mm, Wooden handle
Qty per pack 10

Pointing Trowels

Carbon steel blade hardened, tempered and polished.

Description Pointing Trowel, 150mm, Wooden handle
Qty per pack 10

Description Pointing Trowel, 175mm, Wooden handle
Qty per pack 10

Description Pointing Trowel, 200mm, Wooden handle
Qty per pack 10

PRODUCT CATALOGUE (CONT.)

Diameter 3300
Total height 2250
Qty per pack 1

Windy Drier
This lightweight yet sturdy product is designed for the budget conscious and is the perfect product for low cost housing developments, etc.
Diameter 2600
Total height 2150
Qty per pack 1

Diameter 1900
Total height 2170
Qty per pack 1

T’Poles
All T’Poles are of welded construction, complete with eye bolts & tensioners. These heavy duty products are designed to withstand the harshest conditions.

Description T’Poles
Top bar width 800
Total height 2449
Qty per pack 1

Description T’Poles
Top bar width 800
Total height 2449
Qty per pack 1

WHEELBARROWS

Falcon
The Falcon wheelbarrow is an economical wheelbarrow with a strong single piece frame.

Polypan Concrete Wheelbarrow
The Polypan Concrete wheelbarrow is supplied with a steel frame and a poly pan.

PRODUCT CATALOGUE (CONT.)

Insert Reducer
Insert Equal Tee
Insert Elbow
Insert Male Combination Elbow
Insert Female Combination Elbow
Insert End Cap
Insert Male Adaptor
Insert Female Adaptor
Insert Female Combination Tee
Insert Male Combination Tee

SNAP-ON HOSE & WATER-FLO MANIFOLD FITTINGS

Hose Connectors
Qty per pack 20

Snap-On Spray Nozzle
Qty per pack 20

Hose Clamp
Qty per pack 20

Grommets
Qty per pack 20-100

Hose Tail (Black Nylon)
Qty per pack 20

Dripper Fittings
Qty per pack 20

Reducing Bush
Qty per pack 10-20

Socket
Qty per pack 10-20

Female Bsp Cap
Qty per pack 20

PRODUCT CATALOGUE (CONT.)

GOLF SRINKLERS AND SPRINKLER ACCESSORIES

551 Series Golf Rotors Part/Full Circle 9.8m - 16.8m
700 Series Golf Rotors Full Circle 17.1m - 24.1m
751 Series Golf Rotors Part/Full Circle 18.3m - 22.9m
900 Series Golf Rotors Full Circle 19.2m - 29.6m
950 Series Golf Rotors Part Circle 21.3m - 28.0m
Acme Adaptors (Acme Male To Bsp Female)
Swing Joint Risers
LC Parts

GOLF SRINKLERS AND SPRINKLER ACCESSORIES

Solenoid Valves
Dirty Water Valves
Solenoid Valve Accessories
Marker Flags - Availabe In Blue, Pink, Yellow, Green, White And Orange.
Golf Controller And Controller Accessories

CONTROL SYSTEMS

Control Systems - Various Options Price On Application
Control Systems Accessories
Control System Sensors
Golf Accessories And Tools

PLIMAT PIPE FITTINGS



